THE JOURNAL OF PHYSIOLOGY

EDITED FOR

THE PHYSIOLOGICAL SOCIETY

BY

P. F. BAKER J. A. V. BATES G. W. BISSET
H. BLASCHKO K. E. COOPER J. DIAMOND
P. FATT B. L. GINSBORG A. A. HARPER
D. K. HILL N. JOELS M. G. M. JUKES
J. F. LAMB J. N. MILLS D. S. PARSONS
C. RASHBASS E. G. WALSH J. G. WIDDICOMBE
R. H. ADRIAN (*Secretary*) W. F. WIDDAS (*Chairman*)

Volume 210

1970

CAMBRIDGE UNIVERSITY PRESS

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS
Bentley House, 200 Euston Road, London, N.W.1
American Branch: 32 East 57th Street, New York, N.Y. 10022

Printed in Great Britain at the University Printing House, Cambridge

CONTENTS OF VOLUME 210

No. 1. *September* 1970

PAGE

The origin and secretion of pancreatic juice bicarbonate. By R. M. Case, T. Scratcherd and R. D'A. Wynne 1

Electrical interaction between antidromically stimulated frog motoneurones and dorsal root afferents: enhancement by gallamine and TEA. By Alan D. Grinnell 17

Effects of 0·9 % saline infusion on urinary and renal tissue composition in the hydropaenic, normal and hydrated conscious rat. By J. C. Atherton, R. Green and S. Thomas 45

Effects of prolonged saline exposure on water, sodium and urea transport and on electron-microscopical characteristics of the isolated urinary bladder of the toad *Bufo bufo*. By P. Ackrill, J. S. Dixon, R. Green and S. Thomas 73

The effect of hypercapnia on myocardial blood flow and metabolism. By I. McA. Ledingham, T. I. McBride, J. R. Parratt and J. P. Vance 87

The mechanism of the cardio-acceleration elicited by electrical stimulation of the parahypoglossal area in the cat. By F. R. Calaresu and J. L. Henry 107

The relationship of blood flow to myoglobin, capillary density, and twitch characteristics in red and white skeletal muscle in cat. By Donald J. Reis and G. Frederick Wooten 121

Effect of neurohypophysial hormones on fluid movement across isolated bladder of *Rana cancrivora*, *Rana temporaria* and *Bufo melanostictus*. By S. E. Dicker and Annie B. Elliot. . . . 137

Passage of macromolecules between alveolar and interstitial spaces in foetal and newly ventilated lungs of the lamb. By I. C. S. Normand, E. O. R. Reynolds and L. B. Strang. 151

The visibility of transient changes of luminance. By C. Rashbass 165

Neuronal and subcellular localization of acetylcholine in the posterior pituitary of the rabbit. By K. Lederis and A. Livingston 187

The dependence of the transmembrane salivary secretory potential on the external potassium and sodium concentration. By O. H. Petersen 205

PAGE

Effects of Ca removal on the smooth muscle of the guinea-pig taenia coli. By EDITH BÜLBRING and T. TOMITA 217

Haemodynamic and other studies on the renoprival hypertensive rat. By J. M. LEDINGHAM and D. PELLING 233

No. 2. *September* 1970

Glucose-induced electrical activity in pancreatic islet cells. By P. M. DEAN and E. K. MATTHEWS 255

Electrical activity in pancreatic islet cells: effect of ions. By P. M. DEAN and E. K. MATTHEWS 265

Accessibility of heart water to pentoses. By R. B. FISHER and J. C. GILBERT 277

Kinetics of pentose permeation in the perfused rat heart. By R. B. FISHER and J. C. GILBERT 287

The effect of insulin on the kinetics of pentose permeation of the rat heart. By R. B. FISHER and J. C. GILBERT 297

Autoradiographic demonstration of inhomogeneous distribution of sodium in single oocytes of *Bufo bufo*. By D. A. T. DICK, D. J. FRY, P. N. JOHN and A. W. ROGERS 305

Some metabolic responses of axotomized neurones to contact between their axons and denervated muscle. By W. E. WATSON . 321

Decamethonium in depolarized muscle and the effects of tubocurarine. By F. CREESE and J. M. ENGLAND 345

Entry of decamethonium in rat muscle studied by autoradiography. By R. CREESE and JENNIFER MACLAGAN. 363

The penetration of inulin, sucrose, mannitol and tritiated water from the interstitial space in muscle into the vascular system. By CHRISTIAN CRONE and DAVID GARLICK 387

An estimate of the proportion of the resting membrane conductance of the smooth muscle of guinea-pig taenia coli attributable to chloride. By H. OHASHI 405

Properties of kallikrein-containing granules isolated from the submaxillary gland of the guinea-pig. By K. D. BHOOLA and P. F. HEAP 421

Presynaptic and post-synaptic inhibition elicited in the cat's dorsal column nuclei by mechanical stimulation of skin. By P. ANDERSEN, B. ETHOLM and G. GORDON. 433

PAGE

Drinking induced by injection of angiotensin into the brain of the rat. By A. N. Epstein, J. T. Fitzsimons and Barbara J. Rolls (née Simons) 457

Response of semicircular canal dependent units in vestibular nuclei to rotation of a linear acceleration vector without angular acceleration. By A. J. Benson, F. E. Guedry and G. Melvill Jones 475

The characteristics of the cochlear after-potential studied in the guinea-pig by perfusion and stimulation. By C. P. Panayiotopoulos and Phyllis E. Stopp 495

No. 3 *October* 1970

Dependence of acetylcholine desensitization on the membrane potential of frog muscle fibre and on the ionic changes in the medium. By L. G. Magazanik and F. Vyskočil. 507

Rubidium, sodium and ouabain interactions on the influx of rubidium in rat blood cells. By L. A. Beaugé and Olga Ortíz. . 519

The effect of changes in lung volume on the size and shape of alveoli. By J. B. Forrest. 533

Acidosis and hypercalciuria: renal mechanisms affecting calcium, magnesium and sodium excretion in the sheep. By B. D. Stacy and B. W. Wilson 549

The contribution by glial cells to surface recordings from the optic nerve of an amphibian. By M. W. Cohen 565

Development of the differential response to succinylcholine in the fast and slow-twitch skeletal muscle of the kitten. By William S. Mann and B. Salafsky 581

Observations on the mechanism of salicylate-induced antipyresis. By W. I. Cranston, R. F. Hellon, R. H. Luff, M. D. Rawlins and C. Rosendorff 593

The transparency of the mammalian cornea. By J. L. Cox, R. A. Farrell, R. W. Hart and M. E. Langham 601

Movement of water, protein and crystalloids between vascular and extravascular compartments in heat-exposed men during dehydration and following limited relief of dehydration. By L. C. Senay, Jr. 617

Autonomic effector responses to stimulation of nucleus fastigius. By N. K. Achari and C. B. B. Downman 637

PAGE

Spontaneous activity of neurones of nucleus reticularis thalami in freely moving cats. By L. M. Mukhametov, G. Rizzolatti and V. Tradardi 651

Skeleto-fusimotor fibres in the rabbit. By Françoise Emonet-Dénand, Elzbieta Jankowska and Y. Laporte 669

Modification of transmitter release by ions which prolong the presynaptic action potential. By P. R. Benoit and J. Mambrini 681

Direct and indirect activation of the hippocampus by tubocurarine. By W. Feldberg and V. J. Lotti 697

Factors controlling the secretion of a substance biologically resembling the 18-monoacetate of D-aldosterone by heart muscle. By Mary F. Lockett and R. W. Retallack 717

The perceived spatial frequency shift: evidence for frequency-selective neurones in the human brain. By Colin Blakemore, Jacob Nachmias and Peter Sutton 727

Centrifugal inhibitory processes affecting neurones in the cat cochlear nucleus. By S. D. Comis 751

Non-cholinergic transmission by post-ganglionic motor neurones in the mammalian bladder. By N. Ambache and M. Aboo Zar . 761

Effects of changes of ionic environment on the negative after-potential of the spike in rat uterine muscle. By H. Ohashi . . 785

No. 4 *October* 1970

Urinary excretion of adrenal steroids, catecholamines and electrolytes in man, before and after acclimatization to cold in Antarctica. By G. M. Budd and N. Warhaft 799

Enhancement of synaptic transmission by dendritic potentials in chromatolysed motoneurones of the cat. By M. Kuno and R. Llinás 807

Alterations of synaptic action in chromatolysed motoneurones of the cat. By M. Kuno and K. Llinás 823

Post-tetanic hyperpolarization produced by an electrogenic pump in dorsal spinocerebellar tract neurones of the cat. By M. Kuno, J. T. Miyahara and J. N. Weakly 839

The electrical activity of the digestive tract of the sheep as an indication of the mechanical events in various regions. By Y. Ruckebusch 857

PAGE

Effects of cholinergic and adrenergic blocking agents on the activity of the eccrine sweat glands. By K. G. Foster and J. S. Weiner 883

Contributions of the sodium pump and ionic gradients to the membrane potential of a molluscan neurone. By A. L. F. Gorman and M. F. Marmor 897

Temperature dependence of a sodium–potassium permeability ratio of a molluscan neurone. By A. L. F. Gorman and M. F. Marmor 919

Estimates of probability of transmitter release at the mammalian neuromuscular junction. By B. N. Christensen and A. R. Martin 933

Osmosensitive single neurones in the hypothalamus of unanaesthetized monkeys. By James N. Hayward and Jean D. Vincent. 947

Effects of cations on prolactin and growth hormone secretion by rat adenohypophyses *in vitro*. By J. A. Parsons 973

Variations in deep body temperature in the young unrestrained pig over the 24 hour period. By D. L. Ingram and K. F. Legge . 989

The kinetics of influx of calcium and strontium into rat intestine *in vitro*. By D. G. Papworth and G. Patrick 999

Sodium transport and short-circuit current in rat colon *in vivo* and the effect of aldosterone. By C. J. Edmonds and Jane Marriot 1021

Electrical constants of trabecular muscle from mammalian heart. By Silvio Weidmann 1041

PROCEEDINGS OF THE PHYSIOLOGICAL SOCIETY

6 *June* 1970

DEMONSTRATIONS

PAGE

Dowset, E. E. & Wingate, D. L. A method of studying fluid and solute transport across human ileum *in vitro* 1*P*

Bayman, I. W., Harris, G. W. & Naftolin, F. Bio-radioimmunoassay of luteinizing hormone releasing factor using untreated immature rats 3*P*

Chapman, R. A. High sensitivity isometric force transducers made with piezo-electric or piezo-resistive strain gauges 4*P*

Worth, R. W. The electron microscopy of the adenohypophysis of the vole, *Microtus agrestis* 6*P*

Charlton, H. M., Naftolin, F. & Worth, R. W. Hypothalamic influence on pituitary and serum levels of LH in the vole, *Microtus agrestis* 7*P*

Hughes, R. Recording of aortic flow, stroke volume, cardiac output, acceleration and peripheral vascular resistance 8*P*

Brown, M. C., Goodwin, G. M. & Matthews, P. B. C. The persistence of stable bonds between actin and myosin filaments of intrafusal muscle fibres following their activation 9*P*

MacKinnon, Pamela C. B. A comparison of protein synthesis in the brains of mice before and after puberty 10*P*

Matthews, Margaret R. & Nash, J. R. G. An efferent synapse from a small granule-containing cell to a principal neurone in the superior cervical ganglion . . 11*P*

Pinching, A. J. Synaptic connexions in the glomerular layer of the olfactory bulb 14*P*

Garey, L. J. The termination of thalamo-cortical fibres in the visual cortex of the cat and monkey 15*P*

Kemp, Janet M. The site of termination of afferent fibres on the neurones of the caudate nucleus 17*P*

Coppin, C. M. L., Jack, J. J. B. & MacLennan, C. R. A method for the selective electrical activation of tendon organ afferent fibres from the cat soleus muscle. 18*P*

Iles, J. F. & Pearson, K. G. Peripheral inhibition and muscle relaxation . . 20*P*

Mulloney, B. The structure of the giant fibres of earthworms, as disclosed by Procion yellow injections 22*P*

Iversen, J.-G. Peritoneal dialysis of cooled rats 23*P*

Boyd, I. A. The muscle spindle (Film) 23*P*

Ritchie, H. E., Temple, L. J. & Wright, J. T. M. Left atrial cannulation in sheep, and prolonged atraumatic pumping of blood 24*P*

King-Smith, P. E. A simple *in situ* micro-electrode tester 26*P*

Sellick, H. & Widdicombe, J. G. Some properties of lung irritant receptors (T) . 28*P*

COMMUNICATIONS

Weale, R. A. How the birefringence of vertebrate rods is affected by light . . 28*P*

Keynes, R. D. & Ritchie, J. M. The initial heat production of amphibian myelinated nerve fibres 29*P*

Kidd, G. L. The length-tension relationship for slowly stretched, slow skeletal muscle fibres of the frog 31*P*

Huxley, A. F. & Simmons, R. M. Rapid 'give' and the tension 'shoulder' in the relaxation of frog muscle fibres 32*P*

Klein, R. A., Moore, M. J. & Smith, M. W. Diffusion of neutral amino acids across lipid bilayers 33*P*